



MONTROSE

HIGH-PERFORMANCE AZIMUTH STERN DRIVE TUG

GENERAL

Classification	Bureau Veritas 1✕Hull✕Mach Fi-Fi1✕UMS✕Escort Tug Unrestricted Navigation GDMSS Nav Area A3
----------------	--

Flag British

Owner Targe Towing Limited

Built 2026

Fire-Fighting Full Fi-Fi 1 with Foam

DIMENSIONS

Length overall	32.00m
Beam overall	13.20m
Max Draught	6.13m
Gross tonnage	<500t

PERFORMANCE

Bollard pull	90t+
Max Speed	12 knots

PROPULSION SYSTEM

Main engines	MTU 16v 4000M65L
Total power	5120kw (6866bhp) at 1800rpm
Azimuth thrusters	Kongsberg US255FP
Propeller diameter	2800mm

TANK CAPACITIES

Fuel Oil	199.4 m3
Fresh Water	39.8 m3
Foam	16.5 m3

AUXILIARY EQUIPMENT

Generator sets	2 x Caterpillar C7.1 TA, 400 V, 148 kVA, 50 Hz
----------------	--

DECK EQUIPMENT

Fore Winch	DMT Hydraulic driven escort winch 2500kn brake holding force. Double drum (1 x wire 1 x Synthetic)
Aft Winch	DMT 800m Wire 2150kn Holding force Tow pins & Forks 2 x Tugger Winches & Spare Wires
Crane	Hydraulic foldable boom type 770kg @ 14.8m



